

Gallarzo, Wednesday R

From: Neil Leslie <Neil.Leslie@GASTECHNOLOGY.ORG>
Sent: Friday, March 20, 2015 5:26 PM
To: Kristjansson, Sue
Subject: RE: California Fuel Switching Information

Yes you can share it.

We are having a great time. See you next week.

Neil Leslie

R&D Director, Building Energy Efficiency

Gas Technology Institute

1700 South Mount Prospect Road

Des Plaines, IL 60018

neil.leslie@gastechnology.org

847-768-0926 (office)

847-630-0256 (mobile)

847-768-0916 (fax)

From: Kristjansson, Sue [mailto:SKristjansson@semprautilities.com]

Sent: Friday, March 20, 2015 7:19 PM

To: Neil Leslie

Subject: RE: California Fuel Switching Information

I can share this internally correct? This is now actual data that you've pulled and makes it real?

By the way....wish I was in Las Vegas! Hope you're having a great time.

Sue Kristjansson

Codes and Standards and ZNE Manager

Southern California Gas Co.

Telephone: (213) 244-5535

Fax: (213) 226-4317

Cell: (424) 744-0361



[Follow us on Twitter](#)



[Like us on Facebook](#)

From: Neil Leslie [mailto:Neil.Leslie@GASTECHNOLOGY.ORG]

Sent: Friday, March 20, 2015 5:08 PM

To: Kristjansson, Sue

Cc: Rick Murphy (RMurphy@aga.org); Schryver, David; Daniel Lapato (dlapato@apga.org); David Schroeder; Marek Czachorski; Bill Liss

Subject: California Fuel Switching Information

Sue,

As you requested, the attached shows the level of fuel switching in California expected by DOE in its LCC/Crystal Ball spreadsheet. We obtained the information by running all 10,000 instances in Crystal Ball and pulling the California instances from the Crystal Ball results. Please let me know if you need additional information.

Neil Leslie

R&D Director, Building Energy Efficiency

Gas Technology Institute

1700 South Mount Prospect Road

Des Plaines, IL 60018

neil.leslie@gastechnology.org

847-768-0926 (office)

847-630-0256 (mobile)
847-768-0916 (fax)

This communication is for the use of the intended recipient only. It may contain information that is privileged and confidential. If you are not the intended recipient of this communication, the disclosure, copying, distribution or use hereof is prohibited. If you have received this communication in error, please advise me by return e-mail or by telephone and then delete it immediately.

This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.

This communication is for the use of the intended recipient only. It may contain information that is privileged and confidential. If you are not the intended recipient of this communication, the disclosure, copying, distribution or use hereof is prohibited. If you have received this communication in error, please advise me by return e-mail or by telephone and then delete it immediately.

This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.