

Manke, Adam P

From: Kristjansson, Sue
Sent: Friday, October 9, 2015 4:01 PM
To: Schwecke, Rodger
Cc: Reed, Jeffrey G.; Rendler, Daniel
Subject: Fwd: Furnace Rule Input for AGA BOD Meeting
Attachments: DOE Furnace Rule-AGA Board Book Final.docx; ATT00001.htm; image004.png; ATT00002.htm; image006.png; ATT00003.htm

Rodger, just following up and closing the loop, do you approve of the approach for Dennis regarding the furnace rule? It is in the very beginning I the attached document.

Thanks!

Sent from my iPhone

Begin forwarded message:

From: "Kristjansson, Sue" <SKristjansson@semprautilities.com>
To: "Rendler, Daniel" <DRendler@semprautilities.com>, "Reed, Jeffrey G." <JGReed@semprautilities.com>
Cc: "Schwecke, Rodger" <RSchwecke@semprautilities.com>
Subject: **Furnace Rule Input for AGA BOD Meeting**

Here is my input for the Board Book. I saw that there was only the one action item for the furnace rule so I've included that upfront in the document, which is followed by background information specific to the NODA and the furnace sizing. I've also embedded the following supporting documents within this electronic file:

- the original furnace rule document provided to Dennis for the May board meeting
- link to the DOE Notice Of Data Availability (NODA) filing
- AGA's summary of comments to the original Notice of Proposed Rulemaking (NOPR)
- AGA's draft comments for the NODA response

Let me know if you need anything else and/or if this is not what you need for your overall purposes.

Thanks!

Sue Kristjansson
Codes and Standards and ZNE Manager
Southern California Gas Co.
Telephone: (213) 244-5535
Fax: (213) 226-4317
Cell: (424) 744-0361

[Twitter Icon] Follow us on Twitter<<http://www.twitter.com/SoCalGas>> [Facebook Icon] Like us on Facebook<<http://www.facebook.com/SoCalGas>>