

From: [Garcia, Daniela](mailto:Garcia_Daniela)  
To: [Anderson, Mary](mailto:Anderson_Mary)  
Subject: RE: DOE RFI Letter  
Date: Monday, July 10, 2017 1:28:41 PM

---

\*\*\*\*\*CAUTION: This email was sent from an EXTERNAL source. Think before clicking links or opening attachments.\*\*\*\*\*

No, it was covered in some of the language, thank you!

-----Original Message-----

From: Anderson, Mary [<mailto:Mary.A@pge.com>]  
Sent: Monday, July 10, 2017 1:23 PM  
To: Garcia, Daniela <[DGarcia3@semprautilities.com](mailto:DGarcia3@semprautilities.com)>  
Subject: [EXTERNAL] Re: DOE RFI Letter

Do you want the verbiage to be added in? I am not sure.  
Sent from my iPhone

On Jul 10, 2017, at 9:30 AM, Garcia, Daniela <[DGarcia3@semprautilities.com](mailto:DGarcia3@semprautilities.com)> wrote:

\*\*\*\*\*CAUTION: This email was sent from an EXTERNAL source. Think before clicking links or opening attachments.\*\*\*\*\* Perfect, then I think our comments were addressed. I will continue with the final approvals.

Thank You!

Daniela Garcia  
SoCalGas Customer Programs  
Project Manager - Building Codes and Appliance Standards  
555 W. 5th Street, Los Angeles, CA 90013 | ML: GT19A6  
Office: 213-244-4361 | Mobile: 951-847-1022 [DGarcia3@semprautilities.com](mailto:DGarcia3@semprautilities.com)

From: Anderson, Mary [<mailto:Mary.A@pge.com>]  
Sent: Monday, July 10, 2017 12:17 PM  
To: Garcia, Daniela <[DGarcia3@semprautilities.com](mailto:DGarcia3@semprautilities.com)>  
Subject: [EXTERNAL] DOE RFI Letter

Daniela,  
I spoke with ES and they left off the additional EPCA language for brevity but we are open to adding it in if you believe it is important. Please let me know. Thanks!

Mary Anderson  
PG&E | Expert Program Manager  
3401 Crow Canyon Road, Building 414 | San Ramon, CA 94583 | Mail Code: BLDG 414  
Phone: 415.603.1817

We respect your privacy. Please review our privacy policy for more information.  
[https://urldefense.proofpoint.com/v2/url?u=http-3A\\_\\_www.pge.com\\_en\\_about\\_company\\_privacy\\_customer\\_index.page&d=DwIF-g&c=zJTPELHN9m06lKJo8AwFVluD1VXOIfYvkz692hAL2E&r=uCZIK83fSojllYqmj4EsJucw\\_V0yIX3600SKDYGa&m=V012TtCjGdko3i3h7KcVpNhpPagiu7K\\_67vXGGjaM&s=D7srwbAPCaRQRXMXi5zsp707WzhT5Nk7glTaiouJ4Rg&e=](https://urldefense.proofpoint.com/v2/url?u=http-3A__www.pge.com_en_about_company_privacy_customer_index.page&d=DwIF-g&c=zJTPELHN9m06lKJo8AwFVluD1VXOIfYvkz692hAL2E&r=uCZIK83fSojllYqmj4EsJucw_V0yIX3600SKDYGa&m=V012TtCjGdko3i3h7KcVpNhpPagiu7K_67vXGGjaM&s=D7srwbAPCaRQRXMXi5zsp707WzhT5Nk7glTaiouJ4Rg&e=)

-----  
This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.

We respect your privacy. Please review our privacy policy for more information.  
[https://urldefense.proofpoint.com/v2/url?u=http-3A\\_\\_www.pge.com\\_en\\_about\\_company\\_privacy\\_customer\\_index.page&d=DwIF-g&c=zJTPELHN9m06lKJo8AwFVluD1VXOIfYvkz692hAL2E&r=uCZIK83fSojllYqmj4EsJucw\\_V0yIX3600SKDYGa&m=V012TtCjGdko3i3h7KcVpNhpPagiu7K\\_67vXGGjaM&s=D7srwbAPCaRQRXMXi5zsp707WzhT5Nk7glTaiouJ4Rg&e=](https://urldefense.proofpoint.com/v2/url?u=http-3A__www.pge.com_en_about_company_privacy_customer_index.page&d=DwIF-g&c=zJTPELHN9m06lKJo8AwFVluD1VXOIfYvkz692hAL2E&r=uCZIK83fSojllYqmj4EsJucw_V0yIX3600SKDYGa&m=V012TtCjGdko3i3h7KcVpNhpPagiu7K_67vXGGjaM&s=D7srwbAPCaRQRXMXi5zsp707WzhT5Nk7glTaiouJ4Rg&e=)

-----  
This email originated outside of Sempra Energy. Be cautious of attachments, web links, or requests for information.